

**iHealth Labs, Inc.: iHealth COVID-19 Antigen Rapid Test
12-month to 15-month self-life extension granted by the FDA January 11, 2023**

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
211CO21105	05/04/2022	02/04/2023
211CO21106	05/05/2022	02/05/2023
211CO21108	05/07/2022	02/07/2023
211CO21112	05/11/2022	02/11/2023
211CO21117	05/16/2022	02/16/2023
211CO21118	05/17/2022	02/17/2023
211CO21119	05/18/2022	02/18/2023
211CO21120	05/19/2022	02/19/2023
211CO21121	05/20/2022	02/20/2023
211CO21122	05/21/2022	02/21/2023
211CO21123	05/22/2022	02/22/2023
211CO21124	05/23/2022	02/23/2023
211CO21125	05/24/2022	02/24/2023
211CO21126	05/25/2022	02/25/2023
211CO21127	05/26/2022	02/26/2023
211CO21128	05/27/2022	02/27/2023
211CO21129	05/28/2022	02/28/2023
211CO21203	06/02/2022	03/02/2023
211CO21212	06/11/2022	03/11/2023
211CO21215	06/14/2022	03/14/2023
211CO21216	06/15/2022	03/15/2023
211CO21220	06/19/2022	03/19/2023
213CO21223	06/22/2022	03/22/2023
211CO21224, 213CO21224	06/23/2022	03/23/2023
211CO21227	06/26/2022	03/26/2023
212CO21228, 213CO21228	06/27/2022	03/27/2023
211CO21229	06/28/2022	03/28/2023
221CO20101, 213CO21231	06/30/2022	03/30/2023
221CO20103	07/02/2022	04/02/2023
221CO20105	07/04/2022	04/04/2023
221CO20107	07/06/2022	04/06/2023
221CO20108, 222CO20108	07/07/2022	04/07/2023
221CO20110	07/09/2022	04/09/2023

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
221CO20111, 222CO20111	07/10/2022	04/10/2023
223CO20112	07/11/2022	04/11/2023
223CO20113	07/12/2022	04/12/2023
222CO20114, 223CO20114	07/13/2022	04/13/2023
223CO20115	07/14/2022	04/14/2023
222CO20117	07/16/2022	04/16/2023
221CO20120, 222CO20120	07/19/2022	04/19/2023
221CO20121, 222CO20121, 223CO20121	07/20/2022	04/20/2023
223CO20122	07/21/2022	04/21/2023
222CO20123	07/22/2022	04/22/2023
221CO20124, 223CO20124	07/23/2022	04/23/2023
222CO20125	07/24/2022	04/24/2023
221CO20127, 222CO20127	07/26/2022	04/26/2023
221CO20129, 222CO20129	07/28/2022	04/28/2023
221CO20130	07/29/2022	04/29/2023
221CO20201	07/31/2022	04/30/2023
221CO20203	08/02/2022	05/02/2023
221CO20204	08/03/2022	05/03/2023
223CO20207	08/06/2022	05/06/2023
222CO20208	08/07/2022	05/07/2023
222CO20210	08/09/2022	05/09/2023
221CO20211	08/10/2022	05/10/2023
222CO20212	08/11/2022	05/11/2023
221CO20214, 222CO20214, 223CO20214	08/13/2022	05/13/2023
221CO20215	08/14/2022	05/14/2023
221CO20216	08/15/2022	05/15/2023
221CO20217	08/16/2022	05/16/2023
221CO20220, 223CO20220	08/19/2022	05/19/2023
221CO20221, 223CO20221	08/20/2022	05/20/2023

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
221CO20222, 222CO20222	08/21/2022	05/21/2023
221CO21017	10/16/2022	01/16/2023
221CO20505	02/04/2023	08/04/2023
221CO20509	02/08/2023	08/08/2023
221CO20629	03/28/2023	09/28/2023
221CO20815	08/14/2023	11/14/2023
221CO20820	08/19/2023	11/19/2023
221CO20826	08/25/2023	11/25/2023
221CO20901	08/31/2023	11/30/2023
221CO20905	09/04/2023	12/04/2023
221CO20907	09/06/2023	12/06/2023
221CO20908	09/07/2023	12/07/2023
221CO20909	09/08/2023	12/08/2023
221CO20913	09/12/2023	12/12/2023
221CO20917	09/16/2023	12/16/2023
221CO20927	09/26/2023	12/26/2023
221CO21018	10/17/2023	01/17/2024
224CO21020	10/19/2023	01/19/2024
224CO21021	10/20/2023	01/20/2024
224CO21024	10/23/2023	01/23/2024
224CO21025	10/24/2023	01/24/2024
224CO21026	10/25/2023	01/25/2024
224CO21027	10/26/2023	01/26/2024
224CO21028	10/27/2023	01/27/2024
224CO21031	10/30/2023	01/30/2024
221CO21101	10/31/2023	01/31/2024
224CO21101	10/31/2023	01/31/2024
224CO21102	11/01/2023	02/01/2024
224CO21103	11/02/2023	02/02/2024
224CO21104	11/03/2023	02/03/2024
224CO21107	11/06/2023	02/06/2024
226CO21108, 224CO21108	11/07/2023	02/07/2024
226CO21109, 224CO21109	11/08/2023	02/08/2024
226CO21110, 224CO21110	11/09/2023	02/09/2024
226CO21111	11/10/2023	02/10/2024
221CO21114	11/13/2023	02/13/2024
226CO21116	11/15/2023	02/15/2024
226CO21119	11/18/2023	02/18/2024

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
226CO21126	11/25/2023	02/25/2024
226CO21128	11/27/2023	02/27/2024
226CO21129	11/28/2023	02/28/2024
226CO21130	11/29/2023	02/29/2024
226CO21201, 224CO21201	11/30/2023	02/29/2024
226CO21202	12/01/2023	03/01/2024
226CO21203	12/02/2023	03/02/2024
226CO21205, 224CO21205	12/04/2023	03/04/2024
226CO21206, 224CO21206	12/05/2023	03/05/2024
226CO21207, 224CO21207	12/06/2023	03/06/2024
226CO21208, 224CO21208	12/07/2023	03/07/2024
226CO21209	12/08/2023	03/08/2024
226CO21212, 225CO21212, 224CO21212	12/11/2023	03/11/2024
226CO21213, 225CO21213, 224CO21213	12/12/2023	03/12/2024
226CO21214, 225CO21214, 224CO21214	12/13/2023	03/13/2024
226CO21215, 225CO21215, 224CO21215	12/14/2023	03/14/2024
225CO21216, 224CO21216	12/15/2023	03/15/2024
221CO21219, 225CO21219	12/18/2023	03/18/2024
221CO21220, 226CO21220, 225CO21220, 224CO21220	12/19/2023	03/19/2024
226CO21221, 225CO21221, 224CO21221	12/20/2023	03/20/2024

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
226CO21222, 225CO21222, 224CO21222	12/21/2023	03/21/2024
226CO21223, 225CO21223, 224CO21223, 221CO21226	12/22/2023	03/22/2024
226CO21227, 225CO21227, 224CO21227	12/26/2023	03/26/2024
226CO21228, 225CO21228, 224CO21228	12/27/2023	03/27/2024
226CO21229, 225CO21229, 224CO21229	12/28/2023	03/28/2024
225CO21230	12/29/2023	03/29/2024
234CO20102	01/01/2024	04/01/2024
236CO20103, 235CO20103	01/02/2024	04/02/2024
236CO20104, 235CO20104	01/03/2024	04/03/2024
236CO20105, 235CO20105	01/04/2024	04/04/2024
231CO20106, 236CO20106, 235CO20106	01/05/2024	04/05/2024
231CO20109, 235CO20109	01/08/2024	04/08/2024
236CO20110, 235CO20110	01/09/2024	04/09/2024